NPS Form 10-900 (Oct. 1990)

United States Department of the Interior National Park Service

National Register of Historic Places Registration Form

SENT TO D.C.

This form is for use in nominating or requesting determinations for individual properties and districts. See instructions in How to Complete the National Register of Historic Places Registration Form (National Register Bulletin 16A). Complete each item by marking "x" in the appropriate box or by entering the information requested. If an item does not apply to the property being documented, enter "N/A" for "not applicable." For functions, architectural classification, materials, and areas of significance, enter only categories and subcategories from the instructions. Place additional entries and narrative items on continuation sheets (NPS Form 10-900a). Use a typewriter, word processor, or computer, to complete all items.

•
other names/site number SBI 4; State Aid 6 2. Location street & number Curran and Snell Roads not for publication
2. Location street & number Curran and Snell Roads not for publication
street & numberCurran_and_Snell_Roads
street & number Curran_and Sne11 Roads
city or town Auburn
state Illinois code IL county Sangamon code 167 zip code 62615
3. State/Federal Agency Certification
Meets does not meet the National Register criteria. I recommend that this property be considered significant nationally statewide locally. (See continuation sheet for additional comments.)
Signature of certifying official/Title Date
State or Federal agency and bureau
4. National Park Service Certification
I hereby certify that the property is: Signature of the Keeper Date of Act
entered in the National Register. See continuation sheet.
☐ determined eligible for the National Register ☐ See continuation sheet.
determined not eligible for the National Register.
removed from the National Register.
other, (explain:)

<u>Illinois Route 4, North</u> of Auburn Name of Property

Sangamon County, Illinois County and State

5. Classification				
Ownership of Property (Check as many boxes as apply)	Category of Property (Check only one box)	Number of Res (Do not include pre	sources within Propert	y e count.)
☐ private	☐ building(s)	Contributing	Noncontributing	
□ public-local☒ public-State	☐ district ☐ site	0	0	buildings
□ public-Federal	☐ site ☑ structure	0	0	
•	☐ object	4	0	
			0	
			0	•
Name of related multiple p (Enter "N/A" if property is not part	roperty listing of a multiple property listing.)	Number of con in the National	ntributing resources pr Register	eviously listed
N/A		N/A		
6. Function or Use				•
Historic Functions (Enter categories from instructions)		Current Functions (Enter categories from		
_Transportation/Road	Relate d	<u>Transportati</u>	on/Road Related	·
			<u> </u>	
	-			
7. Description		· · · · · · · · · · · · · · · · · · ·		
Architectural Classification (Enter categories from instructions)		Materials (Enter categories from	instructions)	
Other: Concrete Roa	d	foundation <u>n/a</u>		
Other: Brick Road		wallsn/a		
		roofn/a		<u> </u>
		other <u>concret</u>	ie	
		brick		

Narrative Description (Describe the historic and current condition of the property on one or more continuation sheets.)

☐ recorded by Historic American Engineering

Record # _____

Sangamon County, Illinois

County and State Name of Property 8. Statement of Significance Applicable National Register Criteria 'Areas of Significance (Mark "x" in one or more boxes for the criteria qualifying the property (Enter categories from instructions) for National Register listing.) Engineering ☐ A Property is associated with events that have made a significant contribution to the broad patterns of our history. ☐ B Property is associated with the lives of persons significant in our past. ☑ C Property embodies the distinctive characteristics of a type, period, or method of construction or represents the work of a master, or possesses high artistic values, or represents a significant and Period of Significance distinguishable entity whose components lack 1920 - 1932 individual distinction. □ D Property has yielded, or is likely to yield, information important in prehistory or history.... Criteria Considerations **Significant Dates** (Mark "x" in all the boxes that apply.) N/A Property is: ☐ A owned by a religious institution or used for religious purposes. Significant Person (Complete if Criterion B is marked above) ☐ **B** removed from its original location. N/A ☐ **C** a birthplace or grave. **Cultural Affiliation** □ D a cemetery. ☐ E a reconstructed building, object, or structure. □ F a commemorative property. Architect/Builder ☐ G less than 50 years of age or achieved significance within the past 50 years. Unknown Narrative Statement of Significance (Explain the significance of the property on one or more continuation sheets.) 9. Major Bibliographical References **Bibilography** (Cite the books, articles, and other sources used in preparing this form on one or more continuation sheets.) Previous documentation on file (NPS): Primary location of additional data: preliminary determination of individual listing (36 ☐ State Historic Preservation Office CFR 67) has been requested ☐ Other State agency previously listed in the National Register □ Federal agency previously determined eligible by the National Li Local government □ University Register I Other designated a National Historic Landmark recorded by Historic American Buildings Survey Name of repository:

Illinois Route 4. North of Auburn Name of Property	Sangamon County, Illinois County and State
10. Geographical Data	
Acreage of Property Approximately 7.5	
UTM References (Place additional UTM references on a continuation sheet.)	
1 1 6 2 6 4 8 9 0 4 3 8 8 7 4 0 Northing 2 1 6 2 6 4 1 5 0 4 3 8 8 7 5 0	3 1 6 2 6 3 9 0 0 4 3 8 8 7 6 Zone Easting Northing 4 1 6 2 6 3 8 7 0 4 3 8 8 4 6
Verbal Boundary Description (Describe the boundaries of the property on a continuation sheet.)	_ ccc community sneet
Boundary Justification (Explain why the boundaries were selected on a continuation sheet.)	: ·
11. Form Prepared By	
name/title Dorothy R. L. Seratt, John Weiss, an	d Lenore Weiss
organization Route 66 Association of Illinois	date <u>March 30, 1998</u>
street & number 408 N. Front Street	telephone 815-998-2300
city or town <u>0de11</u>	state IL zip code 60460
Additional Documentation Submit the following items with the completed form:	
Continuation Sheets	
Maps	
A USGS map (7.5 or 15 minute series) indicating the	property's location.
A Sketch map for historic districts and properties have	ving large acreage or numerous resources.
Photographs	
Representative black and white photographs of the	property.
Additional items (Check with the SHPO or FPO for any additional items)	
Property Owner	
(Complete this item at the request of SHPO or FPO.)	

Paperwork Reduction Act Statement: This information is being collected for applications to the National Register of Historic Places to nominate properties for listing or determine eligibility for listing, to list properties, and to amend existing listings. Response to this request is required to obtain a benefit in accordance with the National Historic Preservation Act, as amended (16 U.S.C. 470 et seq.).

_____ telephone ___

state IL

____ zip code __62706

name _ Illinois Department of Transportation

street & number 3200 South Dirksen Parkway

Springfield

city or town __

Estimated Burden Statement: Public reporting burden for this form is estimated to average 18.1 hours per response including time for reviewing instructions, gathering and maintaining data, and completing and reviewing the form. Direct comments regarding this burden estimate or any aspect of this form to the Chief, Administrative Services Division, National Park Service, P.O. Box 37127, Washington, DC 20013-7127; and the Office of Management and Budget, Paperwork Reductions Projects (1024-0018), Washington, DC 20503.

National Register of Historic Places Continuation Sheet

Route 4,	North	of Auburn
	Route 4,	Route 4, North

Description

The Illinois Route 4, north of Auburn segments are located in Section 34 and 35, Chatham Township and Section 3, Auburn Township, Sangamon County, Illinois. The segments are located west of current Illinois Route 4 connecting to this route at the northeast and south end. The segments are located between Auburn to the south and Chatham to the north. The segments consist of a 1,277 foot long (.24 mile) 16-foot wide Portland cement concrete segment completed by 1921 and a 1.53 mile brick road segment built in 1932. The road is located in a rural setting with a few scattered farmsteads along the sides of it. Trees are located near Panther Creek which the road crosses over two 1920 concrete bridges in two places.

Concrete Segment

In Sangamon County, the 1926-1930 U. S. Route 66 alignment followed an already established route, State Bond Issue 4 (SBI4), one section of which had also been designated State Aid Route 6. The 1,277' (approximately .24 mile) curved segment is just north of the town of Auburn and remains as a good example of road construction in the early 1920s and representative of Illinois Route 4 and U. S. Route 66 in its infancy.

This road segment is comprised of a 200' east-west section, a 400' north-south section, and a 677' curve that connects the east-west section to the north-south section. The entire segment, including the curve, is two, eight-foot wide lanes of Portland cement. Sixteen-foot wide surfaces were typical in the United States in the early 1920s. The eastern end of this road segment begins west of Panther Creek, at the west end of the east-west brick road segment in Section 34, Chatham Township, Sangamon County on Snell Road. The road segment continues to the west for 200 feet then turns southwesterly, leaving Snell Road, and continues on a 677 foot long curve. The road then turns south at Curran Road and continues for 400 foot. At the south end of the 400 foot section the road joins back with the brick road segment.

Appropriations and plans for this road segment were approved on July 10, 1919. The pouring of the Portland cement occurred approximately two to three years later. This section of the road was completed by October 1, 1921. The complete road from Chicago to St. Louis was completed and in use as SBI4 by 1923. In 1926, this road segment became part of the new Federal Highway System when it was designated

National Register of Historic Places Continuation Sheet

Illinois Route 4, North of Auburn

Route 66. It held this distinction until 1930 when Route 66 was relocated to the east in an effort to bypass more municipalities. This was deemed necessary by the Division of Highways to allow traffic to flow through the state with less obstacles to slow the journey. (See Multiple Property Documentation Form "Historic and Architectural Resources of Route 66 Through Illinois" for further discussion on the history of Route 66).

Inspection of this .24 mile segment of early SBI4 pavement north of Auburn will show that it remains today as it was then in 1921-1930, a sixteen-foot wide slab of Portland cement. Improvements made to SBI4 in 1932 did not extend to this section of the road, which caused less traffic on this segment over the years, with almost no traffic on the 677 foot curve connecting the east-west section to the north-south section. This 1,277 foot section then ceased being Route 66 in 1930 and SBI4 when improvement involved a new curve placed several years later southeast of the original curve. The reason for constructing a new curve was a need to widen the lanes for safety and not having ample room to do the widening. The new, improved segment was designated Illinois Route 4 and the original curve was abandoned. As part of the 1932 improvement, SBI4 had been relocated about 1/4 mile east of its original alignment set in 1919, thus leaving this .24 mile section that had once been SBI4 and Route 66 literally abandoned.

Today, the approximately 400' north-south section is known as Curran Road, and the 200' east-west section is Snell Road. The connecting 677' curve has no designation and is still abandoned in its 1926-1930 concrete road surface dimensions as it had appeared as Route 66 and Illinois Route 4.

Brick Segment and Bridges

In 1932 improvements were completed on this section of the road that is located just north of Auburn. This 1.53 miles in Section 34, Chatham Township, in Sangamon County is known today as the Auburn Brick Road. These improvements involved widening a 1.53 mile segment of Curran and Snell Roads and completely replacing the existing 16' wide connecting curve with a new, wider curve a few yards southeast of it. For a reason not obvious today, the existing Portland cement was widened from 16' to 20' and resurfaced with brick.

National Register of Historic Places Continuation Sheet

Section number7	Page3	Illinois Route 4, North of Auburn

Two existing bridges, constructed in 1920, of which both have a single span, reinforced concrete, through girder superstructures with solid concrete parapets with inset panels, were also resurfaced with brick. One of the bridges (#084-0094) spans Panther Creek on the east - west section of the road and the other (#084-0091) spans Panther Creek on the north - south section of the road. Both bridges are considered contributing to the nomination as they date during the road segments' period of significance and maintain their historic integrity.

Bridge #084-0094 is a single span, reinforced concrete through girder bridge with solid concrete parapets with inset panels. The bridge plate notes, "Station 742-33, Built 1920 by, State of Illinois with, Federal Aid, Project 8 Section C." The concrete slab deck has a brick overlay added in 1932. The bridge is 20.3 feet wide from face to face of the curb and gutter and 53.1 feet long.

Bridge #084-0091 is a single span, reinforced concrete through girder bridge with solid concrete parapets with inset panels. The bridge plate notes, "Station 781-00. Built 1920 by, State of Illinois, with, Federal Aid, Project 8 Section C." The concrete slab deck has a brick overlay added in 1932. The bridge is 20.3 feet wide from face to face of the curb and gutter and 53.1 feet long.

The roadway, although widened to 20' with Portland cement, was then resurfaced to a width of 18' with brick. There is one foot of exposed Portland cement on either edge of the road. The curve connecting the north-south and east-west roads was constructed with the same dimensions as the N-S and E-W roads. It is reasoned that a new curve was added, abandoning the old curve, to accommodate larger, faster vehicles than the old curve could handle, and possibly to move it farther away from the Curran-Snell Road intersection. This would eliminate some traffic hazards that might have existed because of the proximity of the old curve and the intersection of County Highway 18 and FAS 1619 to the northwest.

The 1.53 mile long brick road segment begins in Section 35, Chatham Township on Snell Road, just at the west edge of current Illinois Route 4. It proceeds west along Snell Road crossing over Panther Creek on a single span, reinforced concrete bridge. The roadway proceeds slightly to the west and then turns to the southwest and follows a curve. It then turns to the south rejoining Curran Road and crosses over Panther Creek on a single span, reinforced concrete bridge. The road continues to the south

National Register of Historic Places Continuation Sheet

Illinois Route 4, North of Aubu	Section number 7, 8	Page4	Illinois Route 4. North of A	uburn
---------------------------------	---------------------	-------	------------------------------	-------

through Section 34, Chatham Township and through part of Section 3, Auburn Township, to a junction with current Illinois Route 4.

Statement of Significance

Illinois Route 4, north of Auburn road segments are good examples of road construction from the early 1920s through 1932. It qualifies Criterion C for engineering, as representative examples of the typical road-building design standards set forth by the American Association of State Highway and Transportation Officials as applied to Illinois. Illinois Route 4, north of Auburn is locally significant for listing in the National Register. The period of significance is 1920 when the two bridges were completed to 1932, when the brick segment was constructed. The 1,277 foot (.24 mile) 16 foot wide concrete road segment was part of Stae Bond Issue 4 and the earliest alignment (1926-1930) of Route 66 in Illinois. It is representative of the type of road that was Route 66 in Illinois from 1926-1930 and State Bond Issue 4. Although this road segment is in disrepair, it retains the integrity of the original 16' wide road bed along the north-south section, the east-west section, and the curve connecting the two. All of this 1,277 foot (.24 mile) section is in use today even though the 1932 improvements bypassed this concrete segment. The failure to include this segment in these 1932 improvements is the reason this road, including lane widths, shoulders and grading, remains much the same today as it was in the period of significance. The cross-section template and pavement remain as they were during the period of significance. It retains integrity of materials, design, workmanship, location, feeling, association, and setting. The brick road built in 1932 is associated with a method of road construction used in the early years of this century. Although this 1.53 mile of brick road is in varying degrees of disrepair, it is still used as a public roadway and could be restored. Because of this and its rural location that remains the same today as it was during the years of significance, it retains the integrity of materials, design, workmanship, location, feeling, association, and setting. State Bond Issue 4 provided transportation connections between Chicago and St. Louis for commercial haulers, business travelers, vacationers, and for local citizens to nearby towns and cities such as Springfield, Auburn, and Carlinville.

National Register of Historic Places Continuation Sheet

Section number _	8	Page _	5	Illinois Route 4, North of Auburn
				111111013 Route 4, Not ell 01 Aubut II

Concrete Segment

Early road building in Illinois followed, for the most part, routes established by the railroads. In rural Illinois, towns would be settled every 5 miles or so along the railroad lines. As these towns grew it became necessary to have roadways to connect them with the rural areas to allow farmers to bring their products to be shipped by rail. With the advent of the automobile people needed and wanted more than dirt roads to move about for business, or increasingly, for pleasure. Roads became a hot, political issue. Associations began to form to promote the building of paved roads across the nation. By 1900 there were 200,000 cars produced in the United States creating a demand for better roads. But in Illinois only 8 percent of the state's 94,141 miles of roads had gravel or macadam surfaces in 1905.

By 1909 Portland cement was used to pour a concrete test road for a total of one mile in Detroit. Land grant colleges also began to teach highway construction. The federal government was still a few years away from involvement in road building and maintenance. So, it was up to businesses and individuals who wanted a road through their towns to build, mark, and maintain them, issue maps, and promote the roads in their area. (Seratt and Ryburn-Lamonte, "Historic and Architectural Resources of Route 66 Through Illinois" National Register of Historic Places Multiple Property Documentation Form, p. 7,8).

Notable efforts to improve road conditions by the Illinois state government began in 1905 with the establishment of a commission to study the Illinois road system. Real progress began in 1910 when state legislation required state licensing of vehicles with the fees to be used for road construction. In 1913, under the leadership of Governor Dunne, the state passed the Tice Road Act of 1913, which approved state bonds to be used for roadway improvements. Legislation received a further boost in 1916, through the Federal Aid Post Road Act. (Tingley, The History of Illinois, 1889 to 1928. Vol. 5, p. 238-241.)

The five roads in Illinois designated to receive monies from the Federal Aid System in 1919 were the: National Old Trails Road (National Road, now known as U.S.40) which extended from East St. Louis in an easterly direction to the Indiana state line near Terre Haute, Indiana; Lincoln Highway, beginning at Chicago and extending westerly through Geneva, DeKalb, Dixon, Sterling, to the Mississippi River at Fulton; Dixie Highway,

National Register of Historic Places Continuation Sheet

ction number8	nois Route 4, North of Auburn
ction number	nois Route 4

beginning at Chicago and extending southerly to Danville; Chicago - Springfield - East St. Louis Road, via Joliet, Ottawa, LaSalle, Peoria, and Springfield; and the road from Chicago through Waukegan to the Wisconsin state line. The Chicago - Springfield - East St. Louis Road included portions of Route 4 which would later become U.S. Route 66 from East St. Louis to Springfield. (Illinois Blue Book, 1919-1921, p 320-322.) By 1924 SBI4 was almost completely paved between Chicago and East St. Louis. Roads in more populated areas were usually 18' wide, while the rural areas had many 16' wide road beds. The roads were usually 6" thick Portland cement. Many of these roads were prepared by teams of horses dragging special equipment. Laborers performed back-breaking tasks and received 40 cents an hour for their efforts.

Construction of SBI 4 in the early 1920s in Illinois followed a general pattern. The cross section of this road included, for the most part, two, eight foot wide lanes with two, seven foot gravel shoulders. The cement was generally six inches thick. Average costs per mile in Illinois for the Portland cement pavements including grading and culvert work was \$28,553 in 1921. (Fourth Annual Report of the Department of Public Works and Buildings, Division of Highways, 1920-1921, p. 5,32.)

In Sangamon County there are very few remaining 16' wide Portland cement pavements that had been part of SBI4 and later the 1926-1930 alignment of Route 66. One such segment is located on the south side of Springfield, and dead-ends into Lake Springfield in Section 30, Woodside Township. This approximately .4 mile segment was bypassed to the west to build Lake Springfield and a portion of the road remains under the water that is now a lake. Another 16' wide Portland cement road segment is located in the area known as Cotton Hill, south of Lake Springfield and east of Interstate 55. These segments will be the subject of future National Register of Historic Places nominations.

Brick Segment

The use of bricks for road surfaces can be credited to the Dutch. The Romans much earlier experimented with paving bricks, but their low-temperature fired bricks were quickly ground to powder by the narrow cartwheels. By the seventeenth century, many Dutch towns had brick streets. By the early 1700s, Philadelphia, Pennsylvania had brick streets.

National Register of Historic Places Continuation Sheet

Illinois Route 4, North of Auburn

The use of brick for paving became popular in the late 1800s. In 1870 Dr. Nathan B. Hale installed a brick pavement in Charleston, West Virginia, at his own expense. The brick was specially pressed, hard-burned, dark red brick. It was laid on a base of planks that was covered with sand. In 1875, Napoleon Heafer led an experiment in Bloomington, Illinois using brick for streets. The method incorporated a four-inch layer of coal cinders covered with sand. Over that was laid the first layer of bricks, which was topped by additional sand and a second layer of bricks. Unfortunately, the brick was too soft and porous to withstand heavy traffic loads. But throughout the 1880s, brickmakers and engineers worked to improve the quality of paving brick. Improvements included using stonelike shale clays as the primary ingredient for the bricks and improved firing techniques to ensure more even heating. As a result the improved paving brick could withstand higher pressure. By the end of the nineteenth century American shale paver brick was one of the most indestructible objects and compared in hardness to high-grade steel.

In 1893 brick pavement was used for the first time in Illinois in a rural area in Monmouth Township, Warren County. The news of the use of paving brick on rural roads spread rapidly and was even noticed in the <u>Scientific American</u>. By the last decade of the nineteenth century the use of bricks for street paving was widely discussed in popular and technical literature. For the next twenty years brick was the dominant material used for paving in the United States. (Royce Baier and William D. Walters, Jr. "Brick Streets in Illinois: A Brief History and Guide to Their Preservation and Maintenance." Illinois Preservation Series, Number 12)

Brick used for road surfaces were most often laid over a bed of concrete. Early brick roads were placed on a sandbase which was only adequate for light traffic or in climates where freezing and thawing of the ground didn't heave the brick out of line. Very few brick surfaces appeared in rural roads prior to 1900; by the time of the 1900 census, only 123 miles of road were recorded as paved with brick, and most of those miles, some 104, were in the state of Ohio. The first rural road paved with brick was near Cleveland on the Wooster Pike. (J. Butler. First Highways of America, 1994, p.108-112.)

After pouring the Portland cement, the brick had to be laid by hand, a difficult, time consuming project. Records show no reason for resurfacing the rural 1.53 miles of Illinois Route 4, north of Auburn with brick. After the widening, construction of a new

National Register of Historic Places Continuation Sheet

ection number8	Page8	Illinois Route 4, North of Auburn
ection number	Page	Illinois Route 4, North of Aubur

curve, and resurfacing were completed, this rural 1.53 miles road was designated Old Illinois 4. Whatever the reason, the brick road north of Auburn is a good example of brick road building. The road and bridges, cross-section template, culverts and gradings are virtually as they were in 1932.

Bridges

The two bridges constructed in 1920, are single span, reinforced concrete, through girder superstructures with solid concrete parapets with inset panels. Reinforced concrete, through girder bridges (Illinois Department of Transportation bridge type 124) were generally built between 1906 and the 1920s. These bridges were characterized by massive, load carrying, solid concrete side rails and spans between 30 and 65 feet. Standard plans prepared by the Illinois Division of Highways included three optional railing styles; solid concrete parapets with inset panels, Flemish bond brick, or concrete baluster rails with repeated square posts and arched openings. (John B. Nolan, "Draft: Determination of Eligibility of Historic Bridges in Illinois, 1989, on file at Illinois Department of Transportation, Springfield, Illinois, p. 31-32)

Although hundreds of these bridges were built in the state, many were replaced due to their narrow widths. In Illinois Department of Transportation District 6 which encompasses Hancock, Adams, Schuyler, Brown, Pike, Scott, Morgan, Cass, Mason, Menard, Logan, Sangamon, Christian, Montgomery, and Macoupin counties there were seven reinforced concrete, through girder bridges (IDOT Type 124) noted by the Illinois Department of Transportation in October 1997. (Illinois Department of Transportation, District 6 "Section 106 Documentation of Adverse Effect, FAS Route 1619 and SBI Route 4 (Old IL 4) Over Panther Creek, Sangamon County," February 1998, Memorandum October 8, 1997) Below are some example of IDOT Type 124 found near the Auburn bridges.

IDOT Bridge #059-0046 on SBI (Old Illinois 4) crosses Shearles Branch approximately 2 miles northeast of Nilwood, in Section 8, Nilwood Township, Macoupin County. The reinforced concrete, through girder bridge was constructed in 1920. The west railing is comprised of concrete endposts and top chord with an infill of Flemish bond brick. The original concrete and brick east railing was removed and replaced with a modern metal railing.

National Register of Historic Places Continuation Sheet

Illinois Route 4, North of Auburn

IDOT Bridge #059-0031 on SBI 4 (Old Illinois 4) crosses Hurricane Creek, 2.5 miles north of Carlinville in Macoupin County. The reinforced concrete, through girder bridge was constructed in 1921.

IDOT Bridge #086-3218 on Township Road 86 crosses the Little Sandy Branch, 1 mile southeast of Glasgow in Scott County. The reinforced concrete, through girder bridge was constructed in 1914.

National Register of Historic Places Continuation Sheet

Section number _	9	Page _	10	Illinois	Route	4,	North	of	Auburn

Bibliography

Baier, Royce and Williams D. Walters, Jr. "Brick Streets in Illinois: A Brief History and Guide to their Preservation and Maintenance." Illinois Preservation Series, No. 12, Springfield, Illinois: Illinois Historic Preservation Agency.

Barton-Aschman Associates, Inc. in association with Archaeological Research, Inc. "Historic Route 66 in Illinois." Prepared for Illinois Department of Transportation, 1995.

Butler, John L. First Highways of America, Lola, Wisconsin: Krause Pub., 1994

Illinois Department of Transportation, District 6. "Section 106 Documentation of Adverse Effect, FAS Route 1619 and SBI Route 4 (Old IL 4) Over Panther Creek, Sangamon County, "Memorandum October 8, 1997. Springfield, Illinois: Illinois Department of Transportation, February 1998.

Nolan, John B., "Draft: Determination of Eligibility of Historic Bridges in Illinois, 1989," on file at Illinois Department of Transportation, Springfield, Illinois.

Seratt, Dorothy R.L. and Terri Ryburn-LaMonte. "Historic and Architectural Resources of Route 66 Through Illinois." National Register of Historic Places Multiple Property Documentation Form, 1997.

National Register of Historic Places Continuation Sheet

Section number Page Illinois Route	4.	Route 4.	North	of	Auburn
------------------------------------	----	----------	-------	----	--------

Verbal Boundary Description


Located in Section 34 and the west part of Section 35, Chatham Township and the north part of Section 3, Auburn Township, Sangamon County, Illinois. Legally described by the Illinois Department of Transportation as: SBI4/FAS 1619 (Old I14) Section C(W-1, RS-7, B-1 & B-2), SBI 4 intersection with Illinois 4 northeast of Auburn to the intersection with Illinois 4 north of Auburn. The lateral boundaries run concurently with the IDOT-owned right-of-way. The boundary of the nominated property is delineated by the polygon whose vertices are marked by UTM reference points. The boundary is indicated on the Divernon and Virden North quadrangle maps.

Boundary Justification

These boundaries were chosen because they encompass both the 16' wide concrete segment and brick road segment and that maintains historic integrity.

UTM

5. Zone - 16, East - 263970, North - 4387440





United States Department of the Interior - 198. 1998

NATIONAL PARK SERVICE 1849 C Street, N.W. Washington, D.C. 20240

- ---

IN REPLY REFER TO:

The Director of the National Park Service is pleased to amnounce actions on the following properties for the National Register of Historic Places. For further information contact Edson Beall via voice (202) 343-1572, fax (202) 343-1836, regular or K-mail: Edson_Beall@nps.gov

-

Visit our web site at http://www.nps.gov/nr

AUG 1 4 1998

WEEKLY LIST OF ACTIONS TAKEN ON PROPERTIES: 8/03/98 THROUGH 8/07/98

KEY: State, County, Property Name, Address/Soundary, City, Vicinity, Reference Number, SEL, Action, Date, Multiple Exec

CALIFORNIA, LOS ANGELES COUNTY, House at 1011 S. Madison Ave., 1011 S. Madison Ave., Pasadena, 98000959, LISTED, 8/06/98 (Residential Architecture of Pasadena: Influence of the Arts and Crafts Movement)

CALIFORNIA, LOS ANGELES COUNTY, House at 1650 S. Madison Ave., 1050 S. Madison Ave., Pasadena, 98000960, LISTED, 8/06/98 (Residential Architecture of Pasadena: Influence of the Arts and Crafts Movement)

CALIFORNIA, LOS ANGELES COUNTY, House at 1233 Wentworth Ave., 1233 Wentworth Ave., Pasadena, 98000962, LISTED, 8/06/98 (Residential Architecture of Pasadena: Influence of the Arts and Crafts Movement)

CALIFORNIA, LOS ANGZLES COUNTY, House at 380 W. Del Mar Blvd., 380 W. Del Mar Blvd., Pasadena, 98000961, LISTED, 8/06/98 (Residential Architecture of Pasadena: Influence of the Arts and Crafts Movement)

CALIFORNIA, LOS ANGELES COUNTY, House at 574 Bellefontaine St., 574 Bellefontaine St., Pasadena, 98000958, LISTED, 8/06/98 (Residential Architecture of Pasadena: Influence of the Arts and Crafts Movement)

CONNETTICUT, HARTFORD COUNTY, Old North Cementery, 1821 Main St., Hartford, 98000964, LISTED, 8/05/99

GEORGIA, BANKS COUNTY, Form Hollingsworth : White House, Wynn Lake Rd., 2 mi. SE of Hollingsworth, Bollingsworth vicinity, 98000973, LISTED, 8/06/98

GEORGIA, FULTON COUNTY, Ashby Street Car Barn, 981 Ashby St. NW. Atlanta, 98000972, LISTED, 8/05/99

GEORILA, FULTON COUNTY, Freeman Form Building, 75 John Wesley Dobbs Ave., Atlanta, 98080968, LISTED, 8/06/98

GEORGIA, GREENE COUNTY. Bethesda Baptist Church and Cometery, Jot. of Cty Rd. 120 and Cty Rd. 129, Union Point vicinity. 98000957, LISTED, 8/06/98

GEORGIA, NEWTON COUNTY, Covington Historic District, Roughly Covington City S of US 278, Covington. 98000969, LISTED. 3/36/99

GEORGIA, NEWTON COUNTY, Newborn Historic District, Roughly the entire city limits of Newborn City, Newborn, 98000970. LISTED. 8/06/98

ILLINOIS, CALHOUN COUNTY, Brussels Historic District, Roughly along Main and Community Sts., Brussels, 98000981, LISTED, 8/06/98

ILLINOIS, CLAY COUNTY, Clay County Jail, 195 Main St., Louisville, 98000986, LISTED, 8/06/98

ILLINDIS, COOK COUNTY, Illinois Industrial Sthool for Girls, 733 M. Prospect Ave., Park Ridge, 95000978, LISTED, 8/06/98 ILLIMOIS, GRUNDY COUNTY, White and Company's Goose Lake Tile Works, 5010 N. Jugtown Rd., Morris vicinity, 98000976, LISTED,

ILLINGIS, GRUNDY COUNTY, White and Company's Goose Lake Stoneware Manufactury, 5010 N. Jugtown Rd., Morris vicinity, 93000932, LISTED, a/06/98

ILLINGIS, HARDIN COUNTY, Cave-In-Rock, 0.5 mi N of the town of Cave-In-Rock, Cave-In-Rock, 98000984, LISTED, 8/06/98 (Caught in the Middle: the Civil War on the Lower Chio River MPS)

ILLIMOIS, JACKSON COUNTY, Camp Mather -- Camp Loren, 10765 IL 13, Shawneetown. 98000983, LISTED, 8/06/98 (Caught in the Middle: The Civil War on the Lover Ohio River MPS)

ILLINDIS, JERSEY COUNTY, Fulkerson, Col. William H., Farrstead, 1510 N. State St., Jerseyville vicinity, 98000977, LISTED, 8/06/39

ILLINOIS, JERSEY COUNTY, Hamilton Primary School, 200 ft. W of the jot. of Otteville and McClusky Rds., Otterville, 98300975, LISTED, 8/06/98

ILLINOIS, SANGAMON COUNTY, Illinois Route 4-: North of Auburn, Curran and Snell Rd., Auburn vicinity, 98000979, LISTED,

ILLINOIS, SANGAMON COUNTY, Lincoln Colored Home, 427 S. Twelfth St., Springfield, 98000945, LISTED, 8/06/98

ICWA, WOODBURY COUNTY, Bailey, Control A. and Mary Tinkel. House, 423 10th St., Correctionville, 96000929, LISTED, 8/05/98 LOGISLANA, WASHINGTON PARISH, Franklinson Mark School, 617 Main St., Franklinton, 98000988, LISTED, 8/06/98

LOUISIANA, WASHINGTON PARISH, Granlaw House, 613 13th Ave., Franklincon. 98000987, LISTED. 8/06/98

MASSACHUSETTS, HAMFDEN COUNTY, <u>Carresu Block</u>, 640-642 Chicopee St., Chicopee, 98800993, LISTED, 8/06/98 MICHIGAN, CHARLEVOIK COUNTY, Porter, John J. and Eva Reynler, Estate, 01787 MI 66 S. South Arm Township, 98000269, LISTED,

MINNESDIA, KOCCHICHING COUNTY, Bridge No. 5721, MN 65 over Little Fork R., Silverdale vicinity, 98000717, LISTED, 7/13/98 (Tron and Steel Bridges in Minnesota MPS)

MISSCURI, ST. LOUIS INDEPENDENT CITY, Laclede Building, 408 Olive St., St. Louis, 98000994, LISTED, 8/06/98

NEW YIRK, CHENANGO COUNTY, Smithwills Valley Granus No. 1397, NY 41. Smithwills Flats, 98001009, LISTED, 8/06/98

NEW YORK, LEWIS COMMITY. St. Marky & Courses. Job. of West Main and Blm Sts., Port Leyden. 98001003, LISTED, 8/05/98 (Historic Churches of the Episcopal Diocese of Central New York MPS)